



**A.P. Calculus AB Chapter 7.-7.2 Area & Volume Unit Review WS #1**

1) Given the region below enclosed by  $f(x) = \sqrt{x-2}$  ,  $g(x) = 5 - x$  , and the x-axis.


a) Find the area of the below region. (Write the integral notation(s) as well as the numeric approximation rounded to 3 decimal places)



b) Find the Volume of solid generated when the enclosed region is revolved about the line  $x = 1$  (Write the integral notation as well as the numeric approximation rounded to 3 decimal places)




c) The enclosed region is the base of a solid. The cross section of the solid taken perpendicular to the y-axis is an equilateral triangle. Find the volume of the given solid. (Write the integral notation as well as the numeric approximation rounded to 3 decimal places)




2) Given the region below enclosed by  $f(x) = \ln(4 - x)$ , the line  $y = 1$ , and the y-axis.


a) Find the Volume of solid generated when the enclosed region is revolved about the line  $y = 1$  (Write the integral notation as well as the numeric approximation rounded to 3 decimal places)



b) Find the Volume of solid generated when the enclosed region is revolved about the line  $y = 2$  (Write the integral notation as well as the numeric approximation rounded to 3 decimal places)



c) The enclosed region is the base of a solid. The cross section of the solid taken perpendicular to the x-axis is a rectangle whose height is twice the base. Find the volume of the given solid. (Write the integral notation as well as the numeric approximation rounded to 3 decimal places)



## 7.1-7.2 Area & Volume Formula Sheet

$$\text{Area} = \int_{x_1}^{x_2} (\text{Top graph} - \text{Bottom graph}) dx$$

(in the forms of "y = \_\_\_")

$$\text{Area} = \int_{y_1}^{y_2} (\text{Right graph} - \text{Left graph}) dy$$

(in the form of "x = \_\_\_")

**Disc Method: (Top – Bottom) – Vertical Radius – Horizontal AOR**

$$V = \pi \int_{x_1}^{x_2} [R(x)]^2 dx$$

(expression(s) used above has form: "y = \_\_\_")

**Disc Method: (Right – Left) – Horizontal Radius Vertical AOR**

$$V = \pi \int_{y_1}^{y_2} [R(y)]^2 dy$$

(expression(s) used above has form: "x = \_\_\_")

**Washer Method: (Top – Bottom), Vertical Radius (Horizontal AOR)**

$$V = \pi \int_{x_1}^{x_2} [R(x)]^2 - [r(x)]^2 dx$$

(expression(s) used above has form: "y = \_\_\_")

**Washer Method: (Right – Left), Horizontal Radius (Vertical AOR)**

$$V = \pi \int_{y_1}^{y_2} [R(y)]^2 - [r(y)]^2 dy$$

(expression(s) used above has form: "x = \_\_\_")

**Top-Bottom Vertical base**

$$V = \int_{x_1}^{x_2} [\text{Area of cross section}] dx$$

\*Note: All values in integral are in terms of x  
(in the form of "y = \_\_\_")

**Right-Left Horizontal base**

$$V = \int_{y_1}^{y_2} [\text{Area of cross section}] dy$$

\*Note: All values in integral are in terms of y  
(in the forms of "x = \_\_\_")

### Area formulas for Cross sections:

1. Square:  $A = (\text{base})^2$

2. Isosceles Right Triangle (leg on base):  
 $A = \frac{1}{2}(\text{base})^2$

3. Isosceles Right Triangle (hypotenuse on base):  $A = \frac{1}{4}(\text{base})^2$

4. Rectangle:  
 $A = (\text{base})(\text{height})$

5. Equilateral Triangle:  $A = \frac{\sqrt{3}}{4}(\text{base})^2$

6. Semicircle:  $A = \frac{\pi}{8}(\text{base})^2$