

## The Magical World of Number Theory!

Review:

Let  $a$  and  $b$  be two positive integers such that

$$a = p_1^{e_1} p_2^{e_2} \dots p_n^{e_n}$$

$$b = p_1^{f_1} p_2^{f_2} \dots p_n^{f_n}$$

Where  $e_1, e_2, \dots, e_n$  and  $f_1, f_2, \dots, f_n$  are exponents in the range  $[1, \infty)$ . The greatest common denominator may be written as

$$\gcd(a, b) = p_1^{\min\{e_1, f_1\}} p_2^{\min\{e_2, f_2\}} \dots p_n^{\min\{e_n, f_n\}}$$

And the least common multiple may be written as

$$\text{lcm}(a, b) = p_1^{\max\{e_1, f_1\}} p_2^{\max\{e_2, f_2\}} \dots p_n^{\max\{e_n, f_n\}}$$

The Euclidean algorithm can speed up calculation of the gcd:

$$\gcd(m, n) = \gcd(m - n, n)$$

How many positive integers less than 101 are multiples of either 5 or 7, but not both at once?

Suppose that Agni bakes 252 cookies, Kumar bakes 105 cookies, and Someone bakes 168 cookies. Each person's cookies are packaged separately in boxes with equal numbers of cookies. What is the greatest number of cookies that could be in each package?

## The Magical World of Number Theory!

What is the smallest positive integer  $N$  such that the value  $7 + 30N$  is not a prime number?

How many even four digit palindromes are there? (Hint: Palindromes are of the form  $mnmn$ .)

If  $C = 19!$ , then express  $21! - 20!$  in terms of  $C$ .

## The Magical World of Number Theory!

How to convert a number from base N to base 10:

1. Expand each number as the sum of digit bundles. Multiply each digit by its corresponding power of N.

$$\text{Ex: } 537_9 = 5 \cdot 9^2 + 3 \cdot 9^1 + 7 \cdot 9^0$$

2. Find the sum.

$$5 \cdot 9^2 + 3 \cdot 9^1 + 7 \cdot 9^0 = 405 + 27 + 7 = 439_{10}$$

Determine if  $117_9$  is a multiple of 5.

Find the base  $b$  in which the equation  $4 \cdot 12 = 103$  is valid.

How many positive integers less than 100 have a remainder of 1 when divided by 2 and also when divided by 3?